



TP-Link LS1008G Non-géré Gigabit Ethernet (10/100/1000) Noir

Marque : TP-Link

Code produit: LS1008G V1

Nom du produit : LS1008G



TP-Link LS1008G. Type de commutateur: Non-géré. Type de port Ethernet RJ-45 de commutation de base: Gigabit Ethernet (10/100/1000), Quantité de ports Ethernet RJ-45 de commutation de base: 8. Répertoire MAC: 4000 entrées, Capacité de commutation: 16 Gbit/s. Standards réseau: IEEE 802.3i, IEEE 802.3u, IEEE 802.3x. Connecteur d'alimentation: DC-in jack. Montage mural

Caractéristiques de gestion		Puissance	
Type de commutateur *	Non-géré	Bloc d'alimentation inclus *	✓
Connectivité		Courant d'entrée	0.6 A
Quantité de ports Ethernet RJ-45 de commutation de base *	8	Tension d'entrée	5 V
Type de port Ethernet RJ-45 de commutation de base *	Gigabit Ethernet (10/100/1000)	Consommation (max)	3,9 W
Quantité de ports .Gigabit Ethernet (copper)	8	PoE (alimentation via le port Ethernet)	
Connecteur d'alimentation	DC-in jack	Connexion Ethernet, supportant l'alimentation via ce port (PoE) *	✗
Réseau		Conditions environnementales	
Standards réseau *	IEEE 802.3i, IEEE 802.3u, IEEE 802.3x	Température d'opération	0 - 40 °C
Soutien 10G *	✗	Température hors fonctionnement	-40 - 60 °C
Assistance contrôle des flux	✓	Humidité relative de fonctionnement (H-H)	10 - 90%
Auto MDI/MDI-X	✓	Taux d'humidité relative (stockage)	5 - 90%
Négociation automatique	✓	Dissipation thermique	13,299 BTU/h
Transmission des données		Poids et dimensions	
Capacité de commutation *	16 Gbit/s	Largeur	127 mm
Taux de transfert	11,9 Mpps	Profondeur	66,5 mm
Répertoire MAC *	4000 entrées	Hauteur	23 mm
Enregistrement-et-réémission	✓	Contenu de l'emballage	
Support de trames étendues (Jumbo Frames)	✓	Guide de démarrage rapide	✓
Trames géantes	16000	Informations sur l'emballage	
Mémoire cache de paquet	1,5 Mo	Type d'emballage	Boîte
Design		Largeur du colis	90 mm
Couleur du produit	Noir	Profondeur du colis	131 mm
Matériau du boîtier/corps	Plastique	Hauteur du colis	84 mm
Voyants	Activité, Liaison, Énergie	Poids du paquet	220 g
Montage mural	✓	Certificat	
Puissance		Certification	CE, FCC, RoHS
Source d'alimentation *	CC	Données logistiques	
		Code du système harmonisé	85176990



6935364085476



6935364085513

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.